



## POWER TIME RTU

### 5. FIRE AND EXPLOSION HAZARD DATA

METHOD: None

#### FLAMMABLE LIMITS IN AIR

- LOWER (%): None  
- UPPER (%): None

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

Product will not burn. As for surrounding fire.

FIRE FIGHTING PROCEDURES:

Corrosive material. Avoid exposure to mist and splashes. Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray.

### 6. ACCIDENTAL RELEASE MEASURES

#### SPILL PROCEDURES:

SMALL SPILLS:

Flush residue with water. Reclaim as much as possible.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS:

NA

ENVIRONMENTAL PRECAUTIONS:

NA

METHODS FOR CLEANING UP:

NA

### 7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN  
IN HANDLING AND STORAGE:

Caution: Concentrated acidic liquid. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Store only in original container and keep closed. Store in a cool, dry area. Store in a well ventilated area. Mix only with water.

OTHER PRECAUTIONS:

Do not reuse container. Read and follow label instructions. Keep out of reach of children.

SPECIFIC USE(S):

NA

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

None normally required. Use NIOSH approved acid respirator with dust/mist filter if spray mist in air exceeds exposure limits.

PROTECTIVE GLOVES:

Rubber or plastic gloves recommended to minimize skin contact.

EYE PROTECTION:

Goggles. Face shield.

OTHER PERSONAL PROTECTION  
EQUIPMENT:

Rubber boots. Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. Eyewash fountains and safety showers must be easily accessible.

VENTILATION:

Not normally required. General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Corrosion resistant equipment recommended. When cleaning aluminum of galvanized surfaces, use explosion proof equipment to remove any hydrogen gas.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear, orange liquid. Peach fragrance.

BOILING POINT (F):

245° F approx.

(C) NA

VAPOR PRESSURE:

As water

VAPOR DENSITY (AIR=1):

As water

SOLUBILITY IN WATER:

NA

# POWER TIME RTU

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**SPECIFIC GRAVITY:** 1.104 - 1.134  
**VOC Content (%):** NE  
**VOV Content (%):** NE  
**EVAPORATION RATE:** Less than water  
**PH:** 1.10 - 1.50

## 10. STABILITY AND REACTIVITY

**STABILITY DATA:** STABLE  
**POLYMERIZATION:** Will Not Occur.  
**HAZARDOUS DECOMPOSITION:** If evaporated to dryness, as in a fire, may release: Soot. Smoke. Carbon Monoxide. Oxides of Phosphorus. Oxides of Nitrogen.  
**INCOMPATIBILITY (MATERIALS TO AVOID):** Do not mix with: Alkalines. Chlorine containing materials. Peroxides. Reducing agents. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.  
**CONDITIONS/HAZARDS TO AVOID:** None.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY:** NE  
**EFFECTS OF CHRONIC EXPOSURE:** NE  
**OTHER TOXIC EFFECTS:** NE

## 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL INFORMATION:** No data at this time  
**CHEMICAL FATE INFORMATION:** No data at this time.  
**MOBILITY:** NA  
**PERSISTENCE/DEGRADABILITY:** NA  
**BIOACCUMULATIVE POTENTIAL:** NA  
**OTHER ADVERSE EFFECTS:** NA

## 13. DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHODS:** Dispose in accordance with Federal, State and Local regulations.

## 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

## 15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Phosphoric acid 7664-38-2	2 - 10	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Phosphoric acid 7664-38-2	2 - 10	2270 kg 5000 lb	Not Listed	Not Listed

## POWER TIME RTU

<b>PRODUCT COMPOSITION CAS#</b>	<b>%</b>	<b>Canada WHMIS:</b>
Phosphoric acid 7664-38-2	2 - 10	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

<b>PRODUCT COMPOSITION CAS#</b>	<b>%</b>	<b>MARTK:</b>
Phosphoric acid 7664-38-2	2 - 10	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

<b>PRODUCT COMPOSITION CAS#</b>	<b>%</b>	<b>NJRTK:</b>
Phosphoric acid 7664-38-2	2 - 10	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

<b>PRODUCT COMPOSITION CAS#</b>	<b>%</b>	<b>PARTK:</b>
Phosphoric acid 7664-38-2	2 - 10	Listed

### 16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

\*\*\* END OF MSDS \*\*\*